:0/03/10 16.29

Prod 8588.6



Effective rate (Hz) vs secs



Intervals between consecutive events



Big time differences between consecutive events



Sc-mip-hits (scint-triggered events)



Sc-time-hits (scint-triggered events)



Scint time hits vs MIP hits (sc-trig events)

Prod 8588.6

:0/03/10 16.29













:0/03/10 16.30

Prod 8588.6



Scint. fixed cone Phi angle (from S, clockwise)



Events/sinΘ vs Θ (Scint fixed cone Zenith angle)



AIR fixed cone Phi angle (from S, clockwise)



Evts/sinΘ vs Θ (AIR fixed cone Zenith angle)



Scint fixed cone fit χ^2



AIR fixed cone fit χ^2

:0/03/10 16.30

Prod 8588.6



Θ(AIR)-Θ(Scint) vs Φ (AIR), 30 m edge cut



Θ(AIR)-Θ(Scint) vs Φ (AIR), 30 m edge cut



Scint free cone slope, 30 m edge cut



AIR free cone slope, 30 m edge cut



Sc. huts left after fits vs start.number of t-hits



AIR. huts left after fits vs start.number of t-hits

:0/03/10 16.30

Prod 8588.6



N_s, 30 m edge cut, age $\subseteq$ 1.6, $\chi^2_{NKG} \subseteq 2$



NKG age, 30 m edge cut, $\chi^2_{NKG} \subseteq 2$



L_{90} (arb units) 0-90 m fit, 30 m edge cut



Light radius (0-90 m fit), 30 m edge cut