Prod 8590.2


χ²/ndf 295.6 / 177
P1 14.04
Effective rate (Hz) vs secs


χ²/ndf 226.5 / 228
P1 7.466
P2 -15.73
Intervals between consecutive events


ID 103
Entries 49999
Mean 3.495
RMS 0.0000E+00
Big time differences between consecutive events


ID 4
Entries 29924
Mean 25.82
RMS 16.82
Sc-mip-hits (scint-triggered events)


ID 6
Entries 29924
Mean 25.87
RMS 16.81
Sc-time-hits (scint-triggered events)


Scint time hits vs MIP hits (sc-trig events)

:0/03/12 05.39

Prod 8590.2













Prod 8590.2



Scint. fixed cone Phi angle (from S, clockwise)



Events/sinΘ vs Θ (Scint fixed cone Zenith angle)



AIR fixed cone Phi angle (from S, clockwise)



Evts/sinΘ vs Θ (AIR fixed cone Zenith angle)



Scint fixed cone fit χ^2



AIR fixed cone fit χ^2

:0/03/12 05.39

Prod 8590.2



Θ(AIR)-Θ(Scint) vs Φ (AIR), 30 m edge cut



Θ(AIR)-Θ(Scint) vs Φ (AIR), 30 m edge cut



Scint free cone slope, 30 m edge cut



AIR free cone slope, 30 m edge cut



Sc. huts left after fits vs start.number of t-hits



AIR. huts left after fits vs start.number of t-hits

:0/03/12 05.39

Prod 8590.2